

Prime Laminate

*Prime laminate floors
combine durability and
an authentic timber look*




TOPDECK FLOORING

Prime Laminate Flooring

Luxury Edition

12.3mm
thick

- **Dimensions:**
2280mm long X 192mm wide
X 12.3mm thick
- **Box Contains:**
5 Planks = 2.1888sqm
- **Box Weight:** 23kg
- **Formaldehyde Emission:** E0
- **Abrasion Class:** AC4-32




The **Luxury Edition** introduces the robustness of a laminate floor with the authentic look of a naturally wide and long timber plank. The Abrasion Class of the AC4 surface is up to 40X more resistant to scratching than a lacquered surface. The detail in the genuine-looking decor is not repeated at all over the entire length of the plank, which makes it a great cost effective alternative to wooden floors. The planks are 192mm in width and 2280mm in length adding to the overall genuine look. The all-round V-Groove provides an expansive impression across the entire floor. There are also matching stair nosing and MDF scotia available to fit most designs.


1101 Vanilla Oak




1103 Tobacco Oak




1105 Smoke Oak




1106 Grey Oak



1121 Lunar Oak



1122 Latte Oak




1123 Natural Oak



1131 QLD Spotted Gum



1132 New England Blackbutt



Prime Laminate Flooring

Contemporary Edition

12.3mm
thick

The **Contemporary Edition** is our most popular of the Prime laminate floors. The great decors and colours will suit most modern interior designs. The all-round V-Groove provides an expansive impression across the entire floor. Our Vintage range of floors incorporate a highly realistic saw-cut & wear structures that you can clearly see and feel. There are also stair nosing and MDF available to match your selection.

- **Dimensions:**
1215mm long X 166mm wide
X 12.3mm thick
- **Box Contains:**
8 Planks = 1.61352sqm
- **Box Weight:** 16kg
- **Formaldehyde Emission:** E1
- **Abrasion Class:** AC3-31



9901 Lime Wash



9902 Honey Oak




9903 Mountain Oak



9904 Nainut



9905 Black Oak



9907 Vintage Chestnut



9908 Vintage Walnut




9909 Vintage Grey Ash



9910 QLD Spotted Gum



9911 New England Blackbutt



Prime Laminate Flooring


Classic Edition

12.3mm
thick

The **Classic Edition** continues to prove its appeal. Its selected timber decors which work perfectly with the narrower plank format. The micro bevelled edge groove provides a smoother impression across the entire floor.

- **Dimensions:**
1215mm long X 143mm wide
X 12.3mm thick
- **Box Contains:**
10 Planks = 1.7375sqm
- **Box Weight:** 17.5kg
- **Formaldehyde Emission:** E1
- **Abrasion Class:** AC3-31

6601 Rose Wood





6605 Oak



6607 Spotted Gum



6608 Blackbutt



Prime Laminate Flooring

Traditional Edition

8.3mm
thick


The **Traditional Edition** compliments even the most decorative atmospheres with its 1-Strip, 2-Strip and 3-Strip designs.

The straight edged licensed locking system provides a seamless effect across the whole floor.

- **Dimensions:**
1215mm long X 196mm wide
X 8.3mm thick
- **Box Contains:**
8 Planks = 1.90512sqm
- **Box Weight:** 14.5kg
- **Formaldehyde Emission:** E1
- **Abrasion Class:** AC3-31




8801 2 Strip Red Teak




8803 1 Strip Plain Oak



8806 3 Strip Red Beech




8812 1 Strip Black Wood



8815 1 Strip Spotted Gum



8818 2 Strip Jarrah




Prime Laminate Flooring

Deluxe Edition

8.3mm thick

The **Deluxe Edition** laminate flooring readily matches most modern interior styles featuring a straight edged locking system which provides a seamless effect across the entire floor.

- **Dimensions:**
1215mm long X 196mm wide X 8.3mm thick
- **Box Contains:**
8 Planks = 1.90512sqm
- **Box Weight:** 14.5kg
- **Formaldehyde Emission:** E0
- **Abrasion Class:** AC3-31




8821 Birch Wood




8822 Drift Wood



8823 English Oak



8824 Dark Wood



8825 Brown Wood



PRIME LAMINATE FLOORING

TECHNICAL SPECIFICATIONS

- ✓ German Technology
- ✓ Licensed Click System
- ✓ Quick & Easy to Install
- ✓ Durability and Colour & Pattern Consistency

INSTALLATION METHOD

Floating Floor

SLIP RATING

AS 4586 (2013) Slip Resistance Classification of New Pedestrian Surface Materials

Appendix A - Wet Pendulum Test
Achieved a pass of P2

FIRE RATING

(CHF) CRITICAL HEAT / RADIANT FLUX
(AS ISO 9239.1)

Luxury, Contemporary, Deluxe & Classic Editions pass the AS ISO 9239.1 standard as required by the Australian National Construction Code

ABRASION CLASS

AC31 = AC3 & AC32 = AC4 refers to the EU Standard for the wear layer scratch resistance

PRODUCTION METHODS

German Manufacturing Technology

ENVIRONMENTAL & QUALITY CERTIFICATES

Luxury Edition

E0 EN ISO 9001 ISO 14001 AC4-32

Deluxe Edition

E0 EN ISO 9001 ISO 14001 AC3-31


Contemporary, Classic, Traditional Edition

E1 EN ISO 9001 ISO 14001 AC3-31

WARRANTY

25 Years Residential Use & 5 Years Commercial Use
(Please refer to the Prime product warranty)

- 1 Aluminium Oxide Protective Wear Layer
- 2 Decorative Photographic Design
- 3 High Density Fibre (HDF) Core®
- 4 Licensed Lock System
- 5 Composite Backing Protects & Improves Boards Structural Stability



Ecologically Compatible



Easy to Maintain



Abrasion Resistant



Impact Resistant



Light Fastness



Stain Resistant



Resistant to Household Chemicals



Resistant to Cigarette Burns

Quality is Our Attitude



TOPDECK FLOORING

www.topdeckflooring.com.au

Importer & Supplier of Quality Floor Boards

Topdeck International Pty Ltd

16 Salisbury Street, Silverwater, NSW 2128 Australia

Phone: 02-9748 2288 | Fax: 02-9748 2266

Email: info@topdeckflooring.com.au