



# Castel Nuovo

Herringbone Collection

*Premium European Oak Flooring*




TOPDECK FLOORING

## Topdeck Flooring

As a leading timber floor wholesaler and supplier in Australia, we declare that all products imported by Topdeck Flooring are legally sourced and logged from sustainable managed forests. All of our partners and factories are held with FSC or PEFC Chain of Custody Certifications and our product is purchased within scope of certifications.

## Castel Nuovo Herringbone Collection



*Premium  
European Oak  
Flooring*

INSPIRED BY classic French design, the Herringbone collection highlights the versatility and enduring natural beauty of Oak, suitable for spaces from classical heritage beginnings to modern and contemporary styles. The authentic look and feel of Castel Nuovo Range is enhanced by brushing the surface to accentuate its natural oak grain texture. This specialised process of handcrafting results in an original brushed board that is unique in color and texture. The beauty of real engineered European Oak is in the natural variations of color and grain in addition to knots through your Castel Nuovo flooring. By highlighting the unique characteristics of European Oak through the finishing process, this board opens a world of options for color palettes and paints in your décor and styling, which is ideal for not only foyers and hallways, but open spaces throughout the home

The prefinished 600mm x 120mm x 14mm T & G board comes with a left and right tongue and is finished with a UV lacquer ultra matt finish. The cross-layer construction of the multi-ply core allows the boards to maintain stability even over radiant heated subfloor systems. The pre-finished engineered European Oak board requires less time and mess with installation than traditional raw parquet floors. Installation by full trowel is required. For more information, please refer to our Castel Nuovo Herringbone installation guidelines

**Our extensive range is complemented by customised stair nosing and scotia accessories to complete the installation process.**

Proud to be a Member of the

**atfa**  
Australian timber flooring association

[www.topdeckflooring.com.au](http://www.topdeckflooring.com.au)




# Castel Nuovo

Herringbone Collection

**H01**

**Pearl White**



Pearl White




# Castel Nuovo

Herringbone Collection

**H02**

**Prague Natural**



Prague Natural




# Castel Nuovo

Herringbone Collection

**H03**

**Winston Hill**



Winston Hill



# Castel Nuovo


Herringbone Collection

**H04**

**Chateau**



Chateau




# Castel Nuovo

Herringbone Collection

**H05**

**Marrone Oak**



Marrone Oak




# Castel Nuovo

Herringbone Collection

**H06**

**Rome Grey**



Rome Grey





# Castel Nuovo

Herringbone Collection

**H07**

**Vintage Mocha**



Vintage Mocha



# Castel Nuovo

Herringbone Collection

**H08**

**Black Opal**

Black Opal

# CASTEL NUOVO HERRINGBONE COLLECTION

## TECHNICAL SPECIFICATIONS



### TYPE

Engineered Flooring, 3mm Euro Oak Timber Veneer on 11mm Plywood

### DIMENSION

600mm x 120mm x 3/14mm  
1.44m<sup>2</sup> / 20pcs / ctn

### GRADE & MANUFACTURING PROCESS

Superior ABC Grade European Oak Veneer  
Only Contains limited Tight, Filled Knots and Natural Characteristics

### PROFILE

Tongue & Groove System

### HARDNESS

Janka 6.8kn

### COATING FINISH

8 Layers of KLUMPP Ultra Matt Lacquered Finish

### FIRE RATING

Critical Heat / Radiant Flux (CHF)  
Pass the AS IOS 9239.1 Standard as required by the Australian National Construction Code

### SLIP RATING

Slip Resistance Value (SRV):  
P2 as per Slip Resistance AS 4586 (2013)

### ENVIRONMENTAL & QUALITY CERTIFICATES

VOC E0 (0.014Mg/m<sup>3</sup>)  
ISO9000 Quality Control System  
ISO14000 Environment Control System


### STRUCTURAL WARRANTY

Life Time Structure Warranty

### COATING WARRANTY

20 Years Residential; 10 Years Commercial

### MULTI-PLY CORE STRUCTURE



The manufacturing of Engineered flooring is typically more resource efficient and cost effective when compared to solid timbers.

The stability of the Multi-ply Core structure Engineered Flooring is much better because its arrangement is criss-crossed, the layers run perpendicular to each other. This not only offsets the internal stress of the wood, but also changes the unidirectional homogeneity of the wood, making the floor become isotropic and very stable. Expansion and contraction are usually less of a problem. This increased stability also gives you the option to go with wide planks while still being cost effective.

Combining quality & environmental control standards throughout the manufacturing process.



Note: Colour grain & feature patterns may vary from the actual product to the electronic and printed media.  
For detail maintenance & installation guidelines please refer to the website.



*Quality is our attitude, as we are  
always striving to meet and exceed  
our customers expectations.*



**TOPDECK FLOORING**

**[www.topdeckflooring.com.au](http://www.topdeckflooring.com.au)**

Importer & Supplier of Quality Floor Boards

16 Salisbury Street, Silverwater, NSW 2128 Australia

Phone: 02-9748 2288 | Fax: 02-9748 2266

Email: [info@topdeckflooring.com.au](mailto:info@topdeckflooring.com.au)